

IN THE CLAIMS

Please amend Claims 18 and 45 as indicated.

Claims 1-16. (Cancelled).

Claim 17. (Previously Presented) A medical cooling system comprising:

a medical device;

a console connectable to the medical device at a connection point, the console controlling the temperature of the medical device, and the console including

a first system directing coolant in a mixed gas and liquid state to the medical device along a coolant supply line; and

a second system decreasing the percentage of gas in the coolant before the coolant reaches the connection point by controlling a temperature of the coolant.

Claim 18. (Currently Amended) ~~The cooling system of claim 17;~~ A medical cooling system comprising:

a medical device;

a console connectable to the medical device at a connection point, the console controlling the temperature of the medical device, and the console including

a first system directing coolant in a mixed gas and liquid state to the medical device along a coolant supply line; and

a second system decreasing the percentage of gas in the coolant before the coolant reaches the connection point by controlling a temperature of the coolant; wherein the second

system decreases the percentage of gas in the coolant by reducing the temperature of the coolant, and wherein the system further comprises

an chamber having an inlet and an outlet, wherein the chamber defines a fluid path from the inlet to the outlet, and the chamber envelops a portion of the coolant supply line; and

a controller for controlling coolant flow into the chamber.

Claim 19. (Previously Presented) The cooling system of claim 18, wherein the controller establishes a duty cycle for cyclically allowing and denying entry of coolant into the chamber at a rate responsive to a sensed temperature within the chamber to selectively raise, lower, and maintain the temperature of coolant within the coolant supply line.

Claim 20. (Previously Presented) A medical cooling system for affecting the temperature of a treatment site, comprising:

a medical device;

a coolant supply;

a first coolant flow path between the medical device and the coolant supply;

a subcooler disposed about the portion of the first coolant flow path and having an inlet and an outlet;

a second coolant flow path between the coolant supply and the inlet;

a programmable controller coupled to a temperature sensor in the subcooler, the programmable controller controlling the flow of coolant through the first and second flow paths to regulate the temperature of the treatment site.

Claim 21. (Previously Presented) The cooling system of claim 20, further comprising:  
a first valve in the first coolant flow path,  
a second valve in the second coolant flow path,  
wherein the programmable controller is coupled to the first and second valves.

Claim 22. (Previously Presented) The cooling system of claim 21,  
wherein the programmable controller establishes a duty cycle that opens and closes the  
second valve over time.

Claim 23. (Previously Presented) The cooling system of claim 21,  
wherein the subcooler includes a chamber enclosing the portion of the first coolant flow  
path and the chamber defines a third coolant flow path between the inlet and the outlet.

Claim 24. (Previously Presented) The cooling system of claim 21,  
wherein the subcooler includes a Peltier cooler.

Claim 25. (Previously Presented) A medical cooling system comprising:  
a coolant supply unit, and a medical device having distal and proximal ends;  
a controller, the controller being connected to the medical device at a connection point on  
the proximal end of the medical device;

a first cooling system directing coolant from the coolant supply to the medical device along a coolant supply line through the connection point;

a second cooling system chilling the coolant within a portion of the coolant supply line upstream of the connection point; and

wherein the second cooling system is disposed in a system component external to the coolant supply unit.

Claim 26. (Previously Presented) The medical cooling system of claim 25,

wherein the second cooling system includes an enclosure having a fluid inlet and a fluid outlet, the enclosure defining a fluid path from the inlet to the outlet, and the enclosure envelops the portion of the coolant supply line.

Claim 27. (Previously Presented) A medical cooling system comprising:

a coolant supply unit, and a medical device having distal and proximal ends;  
a controller, the controller being connected to the medical device at a connection point on the proximal end of the medical device;

a first cooling system directing coolant from the coolant supply to the medical device along a coolant supply line through the connection point; and

a second cooling system chilling the coolant within a portion of the coolant supply line upstream of the connection point, wherein the second cooling system includes a Peltier cooler, and wherein the second cooling system is disposed in a system component external to the coolant supply unit.

Claim 28. (Previously Presented) A medical cooling system comprising:

a coolant supply unit, and a medical device having distal and proximal ends;

a controller, the controller being connected to the medical device at a connection point on the proximal end of the medical device;

a first cooling system directing coolant from the coolant supply to the medical device along a coolant supply line through the connection point; and

a second cooling system chilling the coolant within a portion of the coolant supply line upstream of the connection point, wherein the second cooling system is disposed in a system component external to the coolant supply unit, and wherein the system component is a connection box disposed along the coolant supply line upstream of the connection point.

Claim 29. (Previously Presented) The medical cooling system of claim 28, wherein the second cooling system includes a Peltier cooler.

Claim 30. (Previously Presented) The medical cooling system of claim 28, wherein the connection box is an ECG connection box.

Claim 31. (Previously Presented) A medical cooling system comprising:

a coolant supply unit, and a medical device having distal and proximal ends;

a controller, the controller being connected to the medical device at a connection point on the proximal end of the medical device;

a first cooling system directing coolant from the coolant supply to the medical device along a coolant supply line through the connection point; and

a second cooling system chilling the coolant within a portion of the coolant supply line upstream of the connection point; wherein the second cooling system is disposed in a system component external to the coolant supply unit, and wherein the system component is attached to an external surface of the coolant supply unit.

Claim 32. (Previously Presented) The medical cooling system of claim 31, wherein the second cooling system includes a Peltier cooler.

Claim 33. (Previously Presented) A medical cooling system comprising:  
a coolant supply unit, and a medical device having distal and proximal ends;  
a controller, the controller being connected to the medical device at a connection point on the proximal end of the medical device, wherein the controller is disposed in the coolant supply unit;

a first cooling system directing coolant from the coolant supply to the medical device along a coolant supply line through the connection point; and

a second cooling system chilling the coolant within a portion of the coolant supply line upstream of the connection point; wherein the second cooling system is disposed in a system component external to the coolant supply unit.

Claim 34. (Previously Presented) A medical cooling system, comprising:

- a medical device having distal and proximal end portions;
- a console having
  - a housing,
  - a coolant supply in fluid communication with the medical device, and
  - a controller,
- one or more connecting lines coupling the console with the medical device, the one or more connecting lines including a coolant supply line; and
- a system component disposed at an intermediate point between the proximal end portion of the medical device and the console, the system component including a subcooler disposed in thermal communication with a portion of the coolant supply line.

Claim 35. (Previously Presented) The medical cooling system of claim 34,  
wherein the subcooler includes a Peltier cooler.

Claim 36. (Previously Presented) The medical cooling system of claim 34,  
wherein the system component is a connection box disposed around the coolant supply line.

Claim 37. (Previously Presented) The medical cooling system of claim 36,  
wherein the connection box is an ECG connection box.

Claim 38. (Previously Presented) The medical cooling system of claim 34,  
wherein the system component is attached to an external surface of the housing of the  
console.

Claim 39. (Previously Presented) A medical cooling system, comprising:  
a coolant supply;  
a medical device having proximal and distal end portions, and having  
a coolant inlet line from the proximal end portion to the distal end portion, and  
a coolant return line from the distal end portion to the proximal end portion,  
a coolant supply line between the coolant supply and the coolant inlet line;  
a coolant recovery line between a source of vacuum and the coolant return line, the  
coolant supply line, coolant inlet line, coolant return line, and the coolant recovery line defining  
a first flow pathway from the coolant supply to the source of vacuum;  
a vent line coupled to and disposed between the coolant supply line and the coolant  
recovery line, a proximal portion of the coolant supply line, the vent line, and a distal portion of  
the coolant recovery line defining a second flow pathway from the coolant supply to the source  
of vacuum.



Claim 40. (Previously Presented) The medical cooling system of Claim 39,  
wherein the second flow pathway is external to the medical device.

Claim 41. (Previously Presented) The medical cooling system of Claim 39,  
wherein the vent line includes a vent valve.

Claim 42. (Previously Presented) The medical cooling system of Claim 39, further  
comprising:  
a scavenging tank coupled to the source of vacuum, the medical cooling system being  
substantially open-loop.

Claim 43. (Previously Presented) The medical cooling system of Claim 39, further  
comprising:  
a compressor coupled to the source of vacuum and to the coolant supply, the medical  
cooling system being substantially closed-loop.

Claim 44. (Previously Presented) A medical cooling system, comprising:  
a coolant supply;  
a medical device having proximal and distal end portions, and having  
a coolant inlet line from the proximal end portion to the distal end portion, and  
a coolant return line from the distal end portion to the proximal end portion,

a coolant supply line between the coolant supply and the coolant inlet line;

a coolant recovery line between a source of vacuum and the coolant return line, the coolant supply line, coolant inlet line, coolant return line, and the coolant recovery line defining a first flow pathway from the coolant supply to the source of vacuum,

wherein the coolant recovery line includes a pressure indicator.

Claim 45. (Currently Amended) ~~The medical cooling system of claim 44, further comprising~~ A medical cooling system, comprising:

a coolant supply;

a medical device having proximal and distal end portions, and having

a coolant inlet line from the proximal end portion to the distal end portion, and

a coolant return line from the distal end portion to the proximal end portion,

a coolant supply line between the coolant supply and the coolant inlet line;

a coolant recovery line between a source of vacuum and the coolant return line, the coolant supply line, coolant inlet line, coolant return line, and the coolant recovery line defining a first flow pathway from the coolant supply to the source of vacuum, wherein the coolant recovery line includes a pressure indicator; and

a control console coupled to the pressure indicator to control the flow of coolant in the first flow pathway.

Claim 46. (Previously Presented) The medical cooling system of claim 45,  
wherein the pressure indicator is a process control element coupled to a microprocessor  
in the control console.

Claim 47. (Previously Presented) The medical cooling system of claim 46,  
wherein the pressure indicator is a safety monitoring element preventing an increase in  
the pressure of the coolant in the coolant return line.